



RESIDENTIAL DOCKS



DRIVE-ON DOCKS



MODULAR SYSTEMS APPLICATIONS

MANUFACTURED IN CANADA / DISTRIBUTED WORLDWIDE

WWW.CANDOCK.COM





& PIN SYSTEM



THE CANDOCK G2 MODULAR FLOATING SYSTEM

A truly revolutionary product! The era of massive wooden, metal and concrete docks is over. Our high-quality plastic, environmentally friendly system is guaranteed for 20 years and requires no maintenance. Easy to use and reliable, it provides unlimited configurations and application options. The Candock modular floating system has become a must for residential, commercial, marina, leisure or any other application. Simply compare its exceptional lifespan and high resistance to the most severe weather conditions against traditional floating docks and the advantages are crystal clear.



NUT

BOLT

CORNER CUBE THANKS TO OUR 45-DEGREE CORNER CUBE, IT IS POSSIBLE TO INCREASE THE NUMBER OF CONFIGU-RATIONS.

THE G2 SERVICE **CUBE**

This unique system is a two-part product that includes a base and a cover. This multipurpose system provides easy access to electrical services, wires, fresh water pipes and hoses: it also allows the installation of pedestals and emergency stations. Its modularity provides you with endless configuration possibilities.

THE G2 LOW **PROFILE CUBE**

Manufactured using the same specifications as our regular G2 cubes, the low profile cubes are simply lowered to bring the average freeboard to 7" (18 cm) instead of the 12" (30 cm) of our regular G2 cubes. Same capabilities, but with a freeboard that allows easier boarding and disembarking manoeuvres with small water toys such as kayaks and stand-up paddle boards!



BASE AND COVER



G2 CUBE

LOW PROFILE CUBE



SERVICE CHANNELS

CHARACTERISTICS

LOWER PROFILE OVER THE WATER

Material/ Composition

High-density polyethylene resin (HDPE)

Colours Grey and beige

Surface Anti-skid

Dimensions L x W: 48 cm (19

48 cm (19 in) **H:** 35 cm (14 in)

Dimensions (low profile cube) **L x W:** 48 cm (19 in) x 48 cm (19 in)

H: 23 cm (9 in)

Cube: 5.5 kg (12.1

Low profile cube: 5 kg (11 lbs.)

Floating capacity **Cube floating** capacity:

68 kg (150 lbs.) per cube

Low profile cube

ADVANTAGES

Unlimited number of configurations. This revolutionary system, composed of floating cubes, meets the precise needs of any shoreline; it can be assembled to create any shape and size you desire. The configuration options are limitless... It's all up to your imagination!

Easy and quick assembly.

The Candock system is

the blocks are firmly held

coupling system; the sliding

nut and connecting screw.

Environmentally friendly.

All parts are lightweight and

together by our unique

easy to handle.

or 296 kg per sq. m. (60 lbs. per sq. ft.)

floating capacity: 50 kg (110 lbs.) per cube

or 210 kg per sq. m. (44 lbs. per sq. ft.)

Parts and components do not rust, oxidize or deteriorate in any way. Thus, the environment where the dock is floating stays in its natural state.

Lightweight, sturdy and

The safety aspect of nautical products is critical. Therefore, the Candock system has undergone rigorous testing. Its safety features include excellent dock stability, high load capacity, an anti-skid surface as well as a metalfree construction.

Maintenance-free (100% plastic).

With the Candock system, "maintenance-free" means 7FRO maintenance No more lost time and expenses, to maintain a conventional wooden or metal dock year after year.





Standard colours: GREY, BEIGE

THE G2 LED **SYSTEM**

Relying on the same basic components as the G2 service cube, our LED system consists of a unique way to light the surface of your dock. By incorporating an internal LED light to translucent covers, we can provide an affordable, reliable and durable solution to customize every floating dock project. The lights are available in the full spectrum RGB coloured lights!







CANDOCK.COM candock@candock.com

THE G2 SWITCH LIFT

Introducing our Switch Lift Drive-On System, meticulously designed to flawlessly accommodate the sleek hull of your Seadoo Switch. Whether you own the 14, 18, or 21-foot model, rest assured that our system is engineered to keep your boat impeccably dry and secure.



EASY DRIVE-ON

Experience the epitome of speed and security with our cutting-edge drive-on system, surpassing the efficiency of traditional boat lifts. The effortless return to the water is made a breeze with our user-friendly winch system, promising an unparalleled boating experience. Elevate your boating lifestyle with our advanced features!



THE G2 TILES SERIES

Presenting our revolutionary marriage of **recycled** plastic base and injected polypropylene tiles, delivering an unparalleled blend of durability, flexibility, and sophistication for your dock.

Experience the difference with our advanced tiles, offering a remarkably sturdy walking surface that surpasses our standard G2 cubes. Walk with confidence and enjoy the stability that sets our dock apart, ensuring every step is a pleasure.

Unlock a new realm of possibilities with our **Tiles Series**, designed to seamlessly integrate with the LinQ range of accessories. Customize your dock to fit your lifestyle, whether it's for leisure, entertainment, or water sports. The compatibility opens the door to a world of accessories that enhance and elevate your waterfront experience.





candock@candock.com | CANDOCK.COM | Candock

PERIPHERAL HANDRAIL POST

SURFACE HANDRAIL POST

THE G2 EDGE CUBE

Meet the latest member of the Candock product range, our exclusive Edge cube line! By listening and exchanging with our thousands of customers all over the world, we are bringing you the safest, most rugged and most affordable way to aesthetically improve the look of your Candock dock! Offering a slick and smooth dock outskirt, your boats and PWCs can be moored alongside the dock carefree!

THE G2 ROWING CUBE

Our G2 rowing cube is quite revolutionary; it has been engineered to become a standard within the industry. Built in accordance with very precise regulations and specifications, our rowing docks are now to the standards of the International Association of Rowing Sports (FISA). Offering a freeboard height of 2.5" under "live-load" conditions (20 lbs/sq. ft. -100 kg/sq. meter). Our rowing cubes also offer tremendous stability, thanks to our unique **SEC** Technology™.

SECTM

STABILITY ENHANCING CAVITY™

A studied and engineered cavity placed under our low profile cube enhances stability and optimizes free-board height for rowing sport applications.





G2 ROWING CUBE

THE G2 HANDRAIL SYSTEM

Our new and improved handrail system now encompasses the same characteristics as the rest of our product range. Made with the highest quality HDPE resin available, these posts are the most reliable on the market. Available in 2 separate models, the surface model or the peripheral model, the posts can be paired with a rigid, custom-made, PVC railing and fitting system or simply with a good marine grade rope.







EDGE CUBE

CORNER EDGE CUBE





THE G2 JETSLIDE DRIVE-ON SYSTEM

The JetSlide is a unique patented dry dock system that protects the hull of your watercraft from the accumulation of shellfish and marine vegetation that affect your boat's performance. The JetSlide eliminates maintenance costs and premature wear and tear of your watercraft. It's easy to assemble and clean, esthetic, very flexible, and compatible with several types of watercraft; it also enables you to safely walk around your pleasure craft, no more metal structures obstructing your view. The JetSlide requires no maintenance.

The JetSlide has been specifically designed to evenly distribute the watercraft's weight, thus preventing excessive pressure on the hull. Assembled with no moving parts, which are easily damaged and require regular maintenance, the JetSlide is made of new-generation plastic; a top-quality product featuring cutting-edge technology. It's both lightweight and resistant to impact, chemical products, UV rays and weather conditions. It will remain afloat, even under the worst conditions, thanks to its foamfilled interior.

Other companies sell products... Candock sells solutions!

CHARACTERISTICS

Material/Composition

High-density polyethylene resin (HDPE)


Colours

Grey and Beige

Dimensions

H: 38 cm (15 in) L: 288 cm (114 in) **W:** 96 cm (38 in)

68 kg (150 lbs.)




UNIQUE GROOVE SYSTEM EASES LAUNCHING AND DOCKING

SUPPORT SURFACE EVENLY DISTRIBUTES WEIGHT

FOAM-FILLED INTERIOR

"V" OPENING PROVIDES EFFORTLESS DOCKING AND BRINGS THE ENGINE CLOSER TO THE DOCK

EXTENSION PLATE ADAPTS TO INTERMEDIATE LENGTH WATERCRAFT





FULLY ADJJUSTABLE

WHEEL CONFIGURATION

Jetroll

STARTER KIT INCLUDES:

- 1 BOW STOP


- 12 WHEELS





EASY BERTHING &

LAUNCHING MANEUVRES





UNSINKABLE

100% FOAM-FILLED





CHARACTERISTICS

Material/Composition Medium-Density

> Polyethylene (MDPE) Colours Grey and Beige

> > Dimensions

Weight

H: 30.5 cm (12 in) **L:** 3.86 m (152 in)

W: 1.93 m (76 in)

159 kg (350 lbs.)







JETROLL DRIVE-ON SYSTEM

This single piece drive-on dock system was designed to accommodate all sizes of Personal Watercrafts. The JetRoll is fully compatible with our G2 system as well as all other types of docks on the market. This MDPE unit is 100% foam-filled and literally unsinkable. Because no assembly is required, the installation is fast and hassle-free. The launching procedure of your watercraft is made easy; thanks to the 12 urethane wheels and their customizable positions.

CANDOCK.COM candock@candock.com

ANCHORING OPTIONS AND ACCESSORIES

The anchoring of any floating system or dock is key. At Candock, we take pride in not only the quality of our products, but also in the excellence of the installations and projects delivered to our customers. The durability and flexibility of our systems enable them to be installed in bodies of water that other companies cannot even imagine. For exposed beach breaks or areas subjected to frequent thunder storms, Candock is the only solution! Throughout our 20 years in the field, we've developed numerous techniques and accessories that make us efficient and reliable, while keeping overall costs as low as possible.





Look at what's possible!




OUR GOAL:

TO BECOME AN ECOLEADER A FUTURE TRAILBLAZER

Manufacturing and service industries are in full transformation. Global economic, social, environmental and governance issues are irrefutably evolving. Therefore, we've decided to upgrade our values through practices and processes that are more in line with sustainable development.

Our products' exceptional lifespan make them an ideal choice; a Candock dock will outlast two or three aluminum or wooden docks. Aluminum requires tremendous amounts of energy for its production. Protecting wooden structures often requires the use of chemical products harmful to the environment. What's more, weather conditions, which are more and more variable and extreme, are causing the destruction of an increasing number of docks and floating structures, which must be replaced. On the other hand, Candock docks are resistant to the most extreme weather conditions; with their low profile and colour, they blend in with their surroundings. Candock products are manufactured with green electric energy and a constant concern for limiting environmental impact.

Candock products are manufactured in Canada in a unionized plant where salaries and working conditions exceed North American standards.



CANDOCK.COM

DOCK ACCESSORIES













CANDOCK LADDER

BUMPER

DOUBLE LAYER KIT

VERTICAL BUMPER





SWIVEL AND

FOLDABLE SEAT









FOLDING CLEAT

STORAGE CUBE KAYAK RACK

ANCHORING ACCESSORIES



AND PVC SLEEVE

ENGINE MOUNT

ADAPTOR

ADJUSTABLE PILE SUPPORT2 7/8 INCHES



FLOATING DOCK ADAPTOR



ANCHOR PLATE

FOR CHAIN





ANCHORING STRUTS CABLE

JETSLIDE SYSTEM ACCESSORIES

TOOLS

MANUAL KEY FOR PIN



MANUAL KEY FOR NUT

PILING LEVER



RATCHET KEY FOR NUT



PILING BULL





BOAT WINCH

PWC WINCH



EXTENSION PLATE

GANGWAYS

MODULAR FRAMES are made with 3.49cm x 8.57cm (1.375" x 3.375") extrusion profiles. They are usually preferred for lightduty residential applications. The longest model we offer is 3.60m (12') long. As the frames are not assembled when shipped, they offer a significant advantage by generating considerable savings on shipping costs. All components are to be bolted and screwed together after delivery at the customer's place.

WELDED FRAMES are made with 5.08cm x 12.70cm (2" x 5") extrusion profiles. They are usually preferred for rugged residential applications or commercial/ industrial applications. They are the most robust frames available at Candock. They come equipped with bolted handrails on both side and a transit plate.





DECKING NON-SLIP, MAINTENANCE-FREE PLASTIC. CHOICE OF TWO COLOURS MATCHING THE CUBES.



HINGE ALLOWS AN ECONO-TYPE GANGWAY TO BE CONNECTED DIRECTLY TO A CANDOCK DOCK.



SLIDER ENABLES A GANGWAY TO MOVE OVER THE DOCK WITHOUT DAMAGING IT.



GROUND ANCHORAGE ENABLES A GANGWAY TO BE ANCHORED TO THE GROUND.



ROLLER ENABLES A GANGWAY TO MOVE



DEPARTURE ANGLE ENABLES A GANGWAY TO BE ATTACHED TO A STRUCTURE.



HANDRAIL INCREASES THE GANGWAY'S RIGIDITY AND SAFETY.



TRANSIT PLATE ENABLES EASIER ACCESS TO THE GANGWAY (WHEELCHAIRS, CARTS, ETC.).



MODULAR LINK KIT ALLOWS TWO GANGWAYS TO BE FIXED TOGETHER.

CANDOCK: CATERING TO YOUR NEEDS AND YOUR IMAGINATION

Let your imagination soar! Anything is possible! Candock's applications and configurations are limitless. Share your project ideas with us. Candock's team has vast experience in all kinds of projects - made-to-measure, standard, small- and large-scale.


































Metric and imperial measurements have been used in this brochure. Why take 30 pages to cover what can be put in 16? Let's preserve the environment! Better yet, grab a copy of our e-brochure and scan the QR Code below!

www.candock.com: Learn more about our products. Check out our accessories. Stay informed of our innovations Ask for a quotation.



